

A wooden bridge with a railing crosses a small stream at night. The bridge is illuminated by warm, yellow lights. The background is a dense forest of trees, also lit with warm lights, creating a serene and inviting atmosphere.

LTF®

Landscape Lighting

OEM PRIVATE LABEL READY

www.LTFtechnology.com

LTF, LLC

11966 Oak Creek Parkway
Unit H
Huntley, IL 60142
p. (847) 498-5832
f. (773) 337-5628
sales@LTFtechnology.com


www.LTFtechnology.com

© LTF, LLC. All rights reserved. The "Powered By LTF" graphic and all LTF logos are registered trademarks of LTF, LLC. Please do not copy, reproduce, or distribute without written consent of LTF, LLC.

POWERED BY LTF[®]

LTF, LLC | phone: (847) 498-5832 | fax: (773) 337-5628 | email: sales@lftftechnology.com
Address: 11966 Oak Creek Pkwy. Unit H Huntley, IL U.S.A. | www.LTFtechnology.com

© LTF., L.L.C. All rights reserved. LTF. reserves the right to change for product improvements without notification.



ABOUT LTF[®]

LTF[®], leading manufacturer of OEM lighting components, offers its extensive selection of high performance products to brand name lighting companies across the globe. For the past 10 years, LTF LED drivers and LED modules have been a reliable source for lighting companies in US, Europe and Asia.

Through innovative engineering and quality manufacturing, we have provided our lighting OEM customers excellent products and cost-effective solutions. LTF offers both standard and custom products with short lead time and often at no R&D cost. Our mission is our customers success! OEM customers and lighting fixture manufacturers have been embracing LTF's superior product quality, performance, cost effective solutions and speed to market for years!

OEM Private Label Ready Landscape Lighting Fixtures


LTF offers a variety of stylish, architectural grade OEM LED landscape lighting fixtures ready for private label sale. Constructed using heavy duty brass or copper, these fixtures will stand up to the elements all year round. Best of all, they offer the energy efficiency and operational lifetime only possible with LED light sources.

Product Guide Contents

Low Voltage Magnetic Transformers	5
Flood & Bullet Lights	6
Deck & Surface	13
Path Lights	18
Step Lights / Inground & Well Lights	24

Low Voltage Magnetic Transformers

Perfect Power Supplies for LTF's
OEM Landscape Lighting Fixtures



Model Series	Wattage	Input Voltage	Output Voltage
MTA60W & MTE60W	60	120V, 277V AC	12 - 15V, 24- 30V
MTA75W & MTE75W	75	120V, 277V AC	12 - 16V, 24- 31V
MTA96W & MTE96W	96	120V, 277V AC	12 - 16V, 24- 31V
MTA150W & MTE150W	150	120V, 277V AC	12- 17V, 24 - 32V
MTA300W & MTE300W	300	120V, 277V AC	12 - 17V, 24 - 32V
MTA600W & MTE600W	600	120V, 277V AC	12 - 18V, 24 - 33V



Flood & Bullet Lighting



LAFL112VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Frosted lens;
Antique brass color thumb



LAFL212VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Clear/ Frosted
lens; Antique brass color thumb



LABL112VADMR16B

Solid, brass body, bronze finish
12V MR16 lampholder
3ft UL 16AWG lead cable
Stake options: plastic / solid brass casting



LABL212VADMR16B

Solid brass body, bronze finish
12V MR16 lampholder
3ft UL 16AWG lead cable
Stake options: plastic / solid brass casting



LABL312VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Bracket (screw not included); No
lens



LABL412VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Bracket (screw not included); Clear lens



LABL512VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Bracket (screw not included); No lens



LABL612VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Bracket (screw not included); No lens



LABL712VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Spring and Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Convex glass lens;
Natural Brass color thumb



LABL812VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed/Spring GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Convex glass lens;
Antique brass color thumb



LABL912VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed/Spring GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Convex glass lens;
Antique brass color thumb



LABL1012VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Convex glass lens;
Antique Brass color thumb



LABL1112VADMR16B

Solid brass
12V AC/DC MR8 lampholder
3' SPT-2W #18G/2
Regular PVC stake; Flat glass lens



LABL1212VADMR16C

Solid, natural copper body
12V MR16 lampholder
3ft UL 16AWG lead cable
Stake options: plastic / solid brass casting

LABL1312VADMAR16C



Copper
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Convex glass lens;
Natural copper color thumb

LABL1412VADMR16C



Copper
12V AC/DC MR16 lampholder
Spring GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Convex glass lens;
Natural copper color thumb

LABL1512VADP36C



Copper
12V AC/DC PAR36 lampholder
3' SPT-2W 18G/2
Regular PVC stake; No lens; Natural
copper color thumb

LABL1612VADMR16C



Solid, natural copper body
12V MR16 lampholder
3ft UL 16AWG lead cable
Body diameter: 60mm
Body height: 87mm
Stake options: plastic / solid brass casting

LABL1712VADMR16C



Solid, natural copper body
12V MR16 lampholder
3ft UL 16AWG lead cable
Stake options: plastic / solid brass casting

LABL1812VADMR16A



Aluminum
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Convex glass lens;
Black color thumb

LABL1912VADMR16AB LABL1912VADMR16AR



Aluminum body
Black or rust powder coating
12V MR16 lampholder
3ft UL 16AWG lead cable
With plastic stake

LABL2012VADMR16AB



Aluminum body
Black powder coating
12V MR16 lampholder
3ft UL 16AWG lead cable
With stake



LABL2112VADMR16AB
LABL2112VADMR16AR

Aluminum body
Black or rust powder coating
12V MR16 lampholder
3ft UL 16AWG lead cable
Stake options: plastic



LABL2212VDMR16AR

Aluminum body
Rusty powder coating
12V MR16 lampholder
3ft UL 16AWG lead cable
With stake



LABL2312VADMR16S

Solid 316 stainless steel full body
Face diameter: 98mm
12V MR16 lampholder
3ft UL 16AWG lead cable
With plastic stake

Wall & Deck Lighting



LADL112VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
4" cambered surface
3' SPT-2W 18G/2
Frosted lens



LADL212VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
6" cambered surface
3' SPT-2W 18G/2
Frosted lens



LADL312VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
9" cambered surface
3' SPT-2W 18G/2
Frosted lens



LADL412VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
12" cambered surface
3' SPT-2W 18G/2
Frosted lens



LADL512VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Frosted lens



LADL612VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Clear lens



LADL712VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Frosted lens"



LADL812VADG4C

Copper
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
4" cambered surface
3' SPT-2W 18G/2
Frosted lens



LADL912VADG4C

Copper
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
6" cambered surface
3' SPT-2W 18G/2
Frosted lens



LADL1012VADG4C

Copper
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
9" cambered surface
3' SPT-2W 18G/2
Frosted lens



LADL1112VADG4C

Copper
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
12" cambered surface
3' SPT-2W 18G/2
Frosted lens




LADL1212VADMR16C

Natural copper body
12V MR16 lampholder
3ft UL 16AWG lead cable



LADL1312VADG4C

Solid, natural copper body and backplate
Adjustable
12V G4 lampholder
3ft UL 16AWG lead cable
Dimensions: 110x60mm



LADL1412VADMR16C

Solid, natural copper body and backplate
12V MR16 lampholder
3ft UL 16AWG lead cable
Dimensions: 110x60mm



LADL1512VADG4C

Solid, natural copper body and backplate
12V G4 lampholder
3ft UL 16AWG lead cable
Diameter: 100mm



LADL1612VADG4C

Natural copper body
12V G4 lampholder
3ft UL 16AWG lead cable



LADL1712VADLEDIC

Solid, natural copper
12V AC/DC 1W Cree LED
3ft UL 16AWG lead cable
Diameter: 55mm



LADL1812VADMR16S

316 stainless steel body
12V MR16 lampholder
3ft UL 16AWG lead cable



LADL1912VADG4S

Solid 316 stainless steel body and backplate
12V G4 lampholder
3ft UL 16AWG lead cable
Diameter: 100mm

Path & Walkway Lighting



LAP112VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP212VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP312VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP412VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP512VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens"



LAP612VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP712VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP812VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 60" brass stem



LAP912VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 56" brass stem



LAP1012VADG4B

Solid brass
12V AC/DC, G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP1112VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" brass stem;
Frosted lens



LAP1212VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 8" brass stem;
Frosted bulb"



LAP1312VADG4B

Solid brass
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Curving brass
stem; Frosted lens



LAP1412VADG4B

Solid brass
12V AC/DC, G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; Curving brass
stem; Frosted lens



LAP1512VADG4C

Copper
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" copper stem;
Clear/Frosted lens



LAP1912VADMR16C

Natural copper body
12V MR16 lampholder
3ft UL 16AWG lead cable
With plastic stake
Height: 600mm



LAP1612VADMR16C

Natural copper body
12V MR16 lampholder
3ft UL 16AWG lead cable
With plastic stake
Height: 600mm



LAP2012VADG4A

Aluminum
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" aluminum
stem; Frosted lens



LAP1712VADG4C

Copper
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 18" copper stem;
Clear/Frosted lens



LAP1812VADG4C

Copper
12V AC/DC G4 LED lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Regular PVC stake; 8" copper stem;
Frosted bulb

Step & Ground/Well Lighting



LAS112VADG4B



Solid brass
12V AC/DC G4 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Frosted lens; Flat face plate

LAS212VADG4B



Solid brass
12V AC/DC G4 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Frosted lens; Flat face plate

LAS312VADG4B



Solid brass
12V AC/DC G4 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Frosted lens; Louvered Face Plate

LAS412VADG4B



Solid brass
12V AC/DC G4 lampholder
Fixed GU5.3 Socket
3' SPT-2W 18G/2
Frosted lens; Louvered Face Plate

LAS512VADLEDIB



Solid Brass
12V AC/DC LED Integrated
CCT:2700K
3' SPT-2W 18G/2
Stainless steel bracket; Clear lens

LAS612VADLEDIA



Aluminum
12V AC/DC LED Integrated
CCT:2700K
3' SPT-2W 18G/2
Stainless steel bracket; Clear lens



LAGW112VADMR16B

Cover: Solid Brass Body: Stainless
Steel Embedded Well: Plastic
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SJTW-2 18G/2
Clear lens



LAGW512VADP36B

Solid brass
12V AC/DC PAR36 lampholder
3' SPT-2W 18G/2
Convex glass lens



LAGW212VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SJTW-2 18G/2
Clear lens



LAGW612VADP36B

Solid brass
12V AC/DC PAR36 lampholder
3' SPT-2W 18G/2
Clear lens



LAGW312VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SVT 18/2G
Convex glass lens



LAGW412VADMR16B

Solid brass
12V AC/DC MR16 lampholder
Fixed GU5.3 Socket
3' SVT 18/2G
Convex glass lens



Proudly designed
in the U.S.A.

LTF, LLC

11966 Oak Creek Parkway

Unit H

Huntley, IL 60142

p. (847) 498-5832

f. (773) 377-5628

sales@LTFtechnology.com

www.LTFtechnology.com



RoHS

