

# LANDSCAPE LIGHTING

---

## OEM PRIVATE LABEL READY



## LTF, LLC

11966 Oak Creek Parkway  
Unit H  
Huntley, IL 60142  
p. (847) 498-5832  
f. (773) 377-5628  
sales@LTFtechnology.com


[www.LTFtechnology.com](http://www.LTFtechnology.com)

© LTF, LLC. All rights reserved. The "Powered By LTF" graphic and all LTF logos are registered trademarks of LTF, LLC. Please do not copy, reproduce, or distribute without written consent of LTF, LLC.

POWERED BY LTF<sup>®</sup>

LTF, LLC | phone: (847) 498-5832 | fax: (773) 337-5628 | email: sales@lfttechnology.com  
Address: 11966 Oak Creek Pkwy. Unit H Huntley, IL U.S.A. | [www.LTFtechnology.com](http://www.LTFtechnology.com)

© LTF., L.L.C. All rights reserved. LTF. reserves the right to change for product improvements without notification.



## ABOUT LTF<sup>®</sup>

LTF<sup>®</sup>, leading manufacturer of OEM lighting components, offers its extensive selection of high performance products to brand name lighting companies across the globe. For the past 10 years, LTF LED drivers and LED modules have been a reliable source for lighting companies in US, Europe and Asia.

Through innovative engineering and quality manufacturing, we have provided our lighting OEM customers excellent products and cost-effective solutions. LTF offers both standard and custom products with short lead time and often at no R&D cost. Our mission is our customers success! OEM customers and lighting fixture manufacturers have been embracing LTF's superior product quality, performance, cost effective solutions and speed to market for years!

# OEM Private Label Ready Landscape Lighting Fixtures

LTF offers a variety of stylish, architectural grade OEM LED landscape lighting fixtures ready for private label sale. Constructed using heavy duty brass or copper, these fixtures will stand up to the elements all year round. Best of all, they offer the energy efficiency and operational lifetime only possible with LED light sources.

## Product Guide Contents

Low Voltage Magnetic Transformers	5
Flood & Bullet Lights	6
Deck & Surface	13
Path Lights	18
Step Lights / Inground & Well Lights	24

# Low Voltage Magnetic Transformers

Perfect Power Supplies for LTF's  
OEM Landscape Lighting Fixtures



Model Series	Wattage	Input Voltage	Output Voltage
MTA60W & MTE60W	60	120V, 277V AC	12 - 15V, 24 - 30V
MTA75W & MTE75W	75	120V, 277V AC	12 - 16V, 24 - 31V
MTA96W & MTE96W	96	120V, 277V AC	12 - 16V, 24 - 31V
MTA150W & MTE150W	150	120V, 277V AC	12 - 17V, 24 - 32V
MTA300W & MTE300W	300	120V, 277V AC	12 - 17V, 24 - 32V
MTA600W & MTE600W	600	120V, 277V AC	12 - 18V, 24 - 33V



# Flood & Bullet Lighting



## LABL112VADMR16B

Solid, brass body, bronze finish  
 12V MR16 lampholder  
 3ft UL 16AWG lead cable  
 Stake options: plastic / solid brass casting



## LABL212VADMR16B

Solid brass body, bronze finish  
 12V MR16 lampholder  
 3ft UL 16AWG lead cable  
 Stake options: plastic / solid brass casting



## LABL312VADMR16B

Solid brass  
 12V AC/DC MR16 lampholder  
 Fixed GU5.3 Socket  
 3' SPT-2W 18G/2  
 Bracket (screw not included); No lens



## LABL412VADMR16B

Solid brass  
 12V AC/DC MR16 lampholder  
 Fixed GU5.3 Socket  
 3' SPT-2W 18G/2  
 Bracket (screw not included); Clear lens



## LAFL112VADG4B

Solid brass  
 12V AC/DC G4 LED lampholder  
 Fixed GU5.3 Socket  
 3' SPT-2W 18G/2  
 Regular PVC stake; Frosted lens;  
 Antique brass color thumb



## LAFL212VADMR16B

Solid brass  
 12V AC/DC MR16 LED lampholder  
 Fixed GU5.3 Socket  
 MR16 LED Lamp (Not Included)  
 3' SPT-2W 18G/2  
 Regular PVC stake; Clear/ Frosted lens;  
 Antique brass color thumb



### LABL512VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Bracket (screw not included); No lens



### LABL912VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed/Spring GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Antique brass color thumb



### LABL612VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Bracket (screw not included); No lens



### LABL1012VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Antique Brass color thumb



### LABL712VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Spring and Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Natural Brass color thumb



### LABL1212VADMR16C

Solid, natural copper body  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
Stake options: plastic / solid brass casting



### LABL812VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed/Spring GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Antique brass color thumb

## LABL1312VADMAR16C



Copper  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Natural copper color thumb

## LABL1712VADMR16C



Solid, natural copper body  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
Stake options: plastic / solid brass casting

## LABL1412VADMR16C



Copper  
12V AC/DC MR16 lampholder  
Spring GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Natural copper color thumb

## LABL1812VADMR16A



Aluminum  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Black color thumb

## LABL1512VADP36C



Copper  
12V AC/DC PAR36 lampholder  
3' SPT-2W 18G/2  
Regular PVC stake; No lens; Natural  
copper color thumb

## LABL1912VADMR16AB LABL1912VADMR16AR



Aluminum body  
Black or rust powder coating  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
With plastic stake

## LABL1612VADMR16C



Solid, natural copper body  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
Body diameter: 60mm  
Body height: 87mm  
Stake options: plastic / solid brass casting

## LABL2012VADMR16AB



Aluminum body  
Black powder coating  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
With stake

## Wall & Deck Lighting



**LABL2112VADMR16AB**  
**LABL2112VADMR16AR**

Aluminum body  
Black or rust powder coating  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
Stake options: plastic



**LABL2212VDMR16AR**

Aluminum body  
Rusty powder coating  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
With stake



**LABL2312VADMR16S**

Solid 316 stainless steel full body  
Face diameter: 98mm  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
With plastic stake



**LADL112VADG4B**

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
4" cambered surface  
3' SPT-2W 18G/2  
Frosted lens



**LADL212VADG4B**

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
6" cambered surface  
3' SPT-2W 18G/2  
Frosted lens



### LADL312VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
9" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---



### LADL412VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
12" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---



### LADL512VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens

---



### LADL612VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Clear lens



### LADL712VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens"

---



### LADL812VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
4" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---



### LADL912VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
6" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---



### LADL1012VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
9" cambered surface  
3' SPT-2W 18G/2  
Frosted lens





### LADL1112VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
12" cambered surface  
3' SPT-2W 18G/2  
Frosted lens



### LADL1512VADG4C

Solid, natural copper body and backplate  
12V G4 lampholder  
3ft UL 16AWG lead cable  
Diameter: 100mm



### LADL1212VADMR16C

Natural copper body  
12V MR16 lampholder  
3ft UL 16AWG lead cable



### LADL1612VADG4C

Natural copper body  
12V G4 lampholder  
3ft UL 16AWG lead cable



### LADL1712VADLEDIC

Solid, natural copper  
12V AC/DC 1W Cree LED  
3ft UL 16AWG lead cable  
Diameter: 55mm



### LADL1312VADG4C

Solid, natural copper body and backplate  
Adjustable  
12V G4 lampholder  
3ft UL 16AWG lead cable  
Dimensions: 110x60mm



### LADL1812VADMR16S

316 stainless steel body  
12V MR16 lampholder  
3ft UL 16AWG lead cable



### LADL1412VADMR16C

Solid, natural copper body and backplate  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
Dimensions: 110x60mm



### LADL1912VADG4S

Solid 316 stainless steel body and blackplate  
12V G4 lampholder  
3ft UL 16AWG lead cable  
Diameter: 100mm

## Path & Walkway Lighting



### LAP112VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



### LAP212VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



### LAP312VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



### LAP412VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



### LAP512VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens"



### LAP612VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



### LAP712VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens

---



### LAP1112VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens

---



### LAP812VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 60" brass stem

---



### LAP1212VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 8" brass stem;  
Frosted bulb"

---



### LAP912VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 56" brass stem

---



### LAP1312VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Curving brass stem; Frosted lens

---



### LAP1012VADG4B

Solid brass  
12V AC/DC, G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens

---



### LAP1412VADG4B

Solid brass  
12V AC/DC, G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Curving brass stem; Frosted lens



### LAP1512VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" copper stem;  
Clear/Frosted lens

---



### LAP1912VADMR16C

Natural copper body  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
With plastic stake  
Height: 600mm

---



### LAP1612VADMR16C

Natural copper body  
12V MR16 lampholder  
3ft UL 16AWG lead cable  
With plastic stake  
Height: 600mm

---



### LAP2012VADG4A

Aluminum  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" aluminum stem; Frosted lens

---



### LAP1712VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" copper stem;  
Clear/Frosted lens

---



### LAP1812VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 8" copper stem;  
Frosted bulb

## Step & Ground/Well Lighting



### LAS112VADG4B



Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Flat face plate

### LAS212VADG4B



Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Flat face plate

### LAS312VADG4B



Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Louvered Face Plate

### LAS412VADG4B



Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Louvered Face Plate

### LAS512VADLEDIB



Solid Brass  
12V AC/DC LED Integrated  
CCT:2700K  
3' SPT-2W 18G/2  
Stainless steel bracket; Clear lens

### LAS612VADLEDIA



Aluminum  
12V AC/DC LED Integrated  
CCT:2700K  
3' SPT-2W 18G/2  
Stainless steel bracket; Clear lens



### LAGW112VADMR16B

Cover: Solid Brass Body: Stainless  
Steel Embedded Well: Plastic  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SJTW-2 18G/2  
Clear lens

---



### LAGW512VADP36B

Solid brass  
12V AC/DC PAR36 lampholder  
3' SPT-2W 18G/2  
Convex glass lens

---



### LAGW212VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SJTW-2 18G/2  
Clear lens

---



### LAGW612VADP36B

Solid brass  
12V AC/DC PAR36 lampholder  
3' SPT-2W 18G/2  
Clear lens

---



### LAGW312VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SVT 18/2G  
Convex glass lens

---



### LAGW412VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SVT 18/2G  
Convex glass lens



Proudly designed  
in the U.S.A.

## LTF, LLC

11966 Oak Creek Parkway

Unit H

Huntley, IL 60142

p. (847) 498-5832

f. (773) 377-5628

sales@LTFtechnology.com

[www.LTFtechnology.com](http://www.LTFtechnology.com)



RoHS

