

Light to Form<sup>®</sup>

# LANDSCAPE LIGHTING

---

## OEM PRIVATE LABEL READY



## **LTF Technology**

11966 Oak Creek Parkway, Unit H

Huntley, IL 60142

p. (847) 498-5832

f. (773) 377-5628

LTFsales@LTFtechnology.com

[www.LTFtechnology.com](http://www.LTFtechnology.com)

© LTF, LLC. All rights reserved. The "Powered By LTF" graphic and all LTF logos are registered trademarks of LTF, LLC. Please do not copy, reproduce, or distribute without written consent of LTF, LLC.

---

POWERED BY **LTF** 



# ABOUT LTF®

LTF Technology, leading manufacturer of OEM lighting components, offers its extensive selection of high-performance products to brand-name lighting companies across the globe. Since 2007, LTF LED drivers and LED modules have been a reliable source for lighting companies in the U.S., Europe and Asia.

Through innovative engineering and quality manufacturing, we have provided our lighting OEM customers excellent products and cost-effective solutions. LTF offers both standard and custom products with short lead times and often at no R&D cost. Our mission is our customers' success! OEM customers and lighting fixture manufacturers have been embracing LTF's superior product quality, performance, cost-effective solutions and speed-to-market for years!

# Light to Form<sup>®</sup>

## OEM Private Label Ready

## Landscape Lighting Fixtures

LTF offers a variety of stylish, architectural grade OEM LED landscape lighting fixtures ready for private label sale. Constructed using heavy duty brass or copper, these fixtures will stand up to the elements all year round. Best of all, they offer the energy efficiency and operational lifetime only possible with LED light sources.

## Product Guide Contents

Low Voltage Magnetic Transformers	5
Flood & Bullet Lights	6
Deck & Surface	13
Path Lights	18
Step Lights / Inground & Well Lights	24



RoHS



# Low Voltage Magnetic Transformers

Perfect Power Supplies for LTF's  
OEM Landscape Lighting Fixtures



Model Series	Wattage	Input Voltage	Output Voltage
MTA60W & MTE60W	60	120V, 277V AC	12 - 15V, 24- 30V
MTA75W & MTE75W	75	120V, 277V AC	12 - 16V, 24- 31V
MTA96W & MTE96W	96	120V, 277V AC	12 - 16V, 24- 31V
MTA150W & MTE150W	150	120V, 277V AC	12- 17V, 24 - 32V
MTA300W & MTE300W	300	120V, 277V AC	12 - 17V, 24 - 32V
MTA600W & MTE600W	600	120V, 277V AC	12 - 18V, 24 - 33V

# Flood & Bullet Lighting



## LAFL112VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Frosted lens;  
Antique brass color thumb



## LAFL212VADMR16B

Solid brass  
12V AC/DC MR16 LED lampholder  
Fixed GU5.3 Socket  
MR16 LED Lamp (Not Included)  
3' SPT-2W 18G/2  
Regular PVC stake; Clear/ Frosted  
lens; Antique brass color thumb

## LABL112VADMR16B



Solid, brass body, bronze finish

12V MR16 lampholder

3 ft. UL 16AWG lead cable

Stake options: plastic / solid brass casting

---

## LABL212VADMR16B



Solid brass body, bronze finish

12V MR16 lampholder

3 ft. UL 16AWG lead cable

Stake options: plastic / solid brass casting

---

## LABL312VADMR16B



Solid brass

12V AC/DC MR16 lampholder

Fixed GU5.3 Socket

3' SPT-2W 18G/2

Bracket (screw not included); No lens

---

## LABL412VADMR16B



Solid brass

12V AC/DC MR16 lampholder

Fixed GU5.3 Socket

3' SPT-2W 18G/2

Bracket (screw not included); Clear lens



## LABL512VADMR16B



Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Bracket (screw not included); No  
lens

---

## LABL612VADMR16B



Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Bracket (screw not included); No  
lens

---

## LABL712VADMR16B



Solid brass  
12V AC/DC MR16 lampholder  
Spring and Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Natural Brass color thumb

---

## LABL812VADMR16B



Solid brass  
12V AC/DC MR16 lampholder  
Fixed/Spring GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Antique brass color thumb





## LABL912VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed/Spring GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Antique brass color thumb

---



## LABL1012VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Antique Brass color thumb

---



## LABL1212VADMR16C

Solid, natural copper body  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
Stake options: plastic / solid brass casting

---

## LABL1312VADMAR16C



Copper  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Natural copper color thumb

---

## LABL1412VADMR16C



Copper  
12V AC/DC MR16 lampholder  
Spring GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Convex glass lens;  
Natural copper color thumb

---

## LABL1512VADP36C



Copper  
12V AC/DC PAR36 lampholder  
3' SPT-2W 18G/2  
Regular PVC stake; No lens; Natural  
copper color thumb

---

## LABL1612VADMR16C



Solid, natural copper body  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
Body diameter: 60mm  
Body height: 87mm  
Stake options: plastic / solid brass casting



## LABL1712VADMR16C

Solid, natural copper body

12V MR16 lampholder

3 ft. UL 16AWG lead cable

Stake options: plastic / solid brass casting

---



## LABL1812VADMR16A

Aluminum

12V AC/DC MR16 lampholder

Fixed GU5.3 Socket

3' SPT-2W 18G/2

Regular PVC stake; Convex glass lens;

Black color thumb

---



## LABL1912VADMR16AB

## LABL1912VADMR16AR

Aluminum body

Black or rust powder coating

12V MR16 lampholder

3 ft. UL 16AWG lead cable

With plastic stake

---



## LABL2012VADMR16AB

Aluminum body

Black powder coating

12V MR16 lampholder

3 ft. UL 16AWG lead cable

With stake



## LABL2112VADMR16AB LABL2112VADMR16AR

Aluminum body  
Black or rust powder coating  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
Stake options: plastic

---



## LABL2212VDMR16AR

Aluminum body  
Rusty powder coating  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
With stake

---



## LABL2312VADMR16S

Solid 316 stainless steel full body  
Face diameter: 98mm  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
With plastic stake

# Wall & Deck Lighting



## LADL112VADG4B



Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
4" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---

## LADL212VADG4B



Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
6" cambered surface  
3' SPT-2W 18G/2  
Frosted lens



## LADL312VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
9" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---



## LADL412VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
12" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---



## LADL512VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens

---



## LADL612VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Clear lens

## LADL712VADG4B



Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens"

---

## LADL812VADG4C



Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
4" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---

## LADL912VADG4C



Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
6" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---

## LADL1012VADG4C



Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
9" cambered surface  
3' SPT-2W 18G/2  
Frosted lens





## LADL1112VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
12" cambered surface  
3' SPT-2W 18G/2  
Frosted lens

---



## LADL1212VADMR16C

Natural copper body  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable

---



## LADL1312VADG4C

Solid, natural copper body and backplate  
Adjustable  
12V G4 lampholder  
3 ft. UL 16AWG lead cable  
Dimensions: 110x60mm

---



## LADL1412VADMR16C

Solid, natural copper body and backplate  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
Dimensions: 110x60mm



## LADL1512VADG4C

Solid, natural copper body  
and backplate  
12V G4 lampholder  
3 ft. UL 16AWG lead cable  
Diameter: 100mm

---



## LADL1612VADG4C

Natural copper body  
12V G4 lampholder  
3 ft. UL 16AWG lead cable

---



## LADL1712VADLEDIC

Solid, natural copper  
12V AC/DC 1W Cree LED  
3 ft. UL 16AWG lead cable  
Diameter: 55mm

---



## LADL1812VADMR16S

316 stainless steel body  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable

---



## LADL1912VADG4S

Solid 316 stainless steel body  
and backplate  
12V G4 lampholder  
3 ft. UL 16AWG lead cable  
Diameter: 100mm

# Path & Walkway Lighting



## LAP112VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



## LAP212VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



## LAP312VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens

---



## LAP412VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens

---



## LAP512VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens"

---



## LAP612VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



## LAP712VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens

---



## LAP812VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 60" brass stem

---



## LAP912VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 56" brass stem

---



## LAP1012VADG4B

Solid brass  
12V AC/DC, G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens



## LAP1112VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" brass stem;  
Frosted lens

---



## LAP1212VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 8" brass stem;  
Frosted bulb"

---



## LAP1312VADG4B

Solid brass  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Curving brass  
stem; Frosted lens

---



## LAP1412VADG4B

Solid brass  
12V AC/DC, G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; Curving brass  
stem; Frosted lens



## LAP1512VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" copper stem;  
Clear/Frosted lens

---



## LAP1612VADMR16C

Natural copper body  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
With plastic stake  
Height: 600mm

---



## LAP1712VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" copper stem;  
Clear/Frosted lens

---



## LAP1812VADG4C

Copper  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 8" copper stem;  
Frosted bulb





## LAP1912VADM16C

Natural copper body  
12V MR16 lampholder  
3 ft. UL 16AWG lead cable  
With plastic stake  
Height: 600mm

---



## LAP2012VADG4A

Aluminum  
12V AC/DC G4 LED lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Regular PVC stake; 18" aluminum  
stem; Frosted lens

# Step & Ground/Well Lighting



## LAS112VADG4B



Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Flat face plate



## LAS212VADG4B

Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Flat face plate

## LAS312VADG4B



Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Louvered Face Plate

---

## LAS412VADG4B



Solid brass  
12V AC/DC G4 lampholder  
Fixed GU5.3 Socket  
3' SPT-2W 18G/2  
Frosted lens; Louvered Face Plate

---

## LAS512VADLEDIB



Solid Brass  
12V AC/DC LED Integrated  
CCT:2700K  
3' SPT-2W 18G/2  
Stainless steel bracket; Clear lens

---

## LAS612VADLEDIA



Aluminum  
12V AC/DC LED Integrated  
CCT:2700K  
3' SPT-2W 18G/2  
Stainless steel bracket; Clear lens



## LAGW112VADMR16B

Cover: Solid Brass Body: Stainless  
Steel Embedded Well: Plastic  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SJTW-2 18G/2  
Clear lens

---



## LAGW212VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SJTW-2 18G/2  
Clear lens

---



## LAGW312VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SVT 18/2G  
Convex glass lens

---



## LAGW412VADMR16B

Solid brass  
12V AC/DC MR16 lampholder  
Fixed GU5.3 Socket  
3' SVT 18/2G  
Convex glass lens



## LAGW512VADP36B

Solid brass  
12V AC/DC PAR36 lampholder  
3' SPT-2W 18G/2  
Convex glass lens

---



## LAGW612VADP36B

Solid brass  
12V AC/DC PAR36 lampholder  
3' SPT-2W 18G/2  
Clear lens



Proudly designed  
in the U.S.A.

## LTF Technology

11966 Oak Creek Parkway, Unit H  
Huntley, IL 60142

p. (847) 498-5832

f. (773) 377-5628

LTFsales@LTFtechnology.com

[www.LTFtechnology.com](http://www.LTFtechnology.com)



RoHS

